
tsclust

Iñigo Martinez

Dec 05, 2020

CONTENTS:

1	Introduction	3
2	Features	5
3	Credits	7
4	API Documentation	9
5	Contributing	11
5.1	Types of Contributions	11
5.2	Get Started!	12
5.3	Pull Request Guidelines	13
5.4	Tips	13
5.5	Deploying	13
6	Credits	15
6.1	Development Lead	15
6.2	Contributors	15
7	History	17
7.1	0.1.0 (2020-11-30)	17
8	Installation	19
8.1	Stable release	19
8.2	From sources	19
9	Usage	21
10	Indices and tables	23

INTRODUCTION

- Free software: MIT license
- Documentation: <https://tsclust.readthedocs.io>

FEATURES

- TODO

CHAPTER
THREE

CREDITS

This package was created with [Cookiecutter](#) and the [audreyr/cookiecutter-pypackage](#) project template.

API DOCUMENTATION

Overview

LICENSE AGREEMENT

`tsclust.stepattern`
`tsclust.example`

Created on Nov 17 16:57 2020

CONTRIBUTING

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given.

You can contribute in many ways:

5.1 Types of Contributions

5.1.1 Report Bugs

Report bugs at <https://github.com/imartinezl/tsclust/issues>.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

5.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” and “help wanted” is open to whoever wants to implement it.

5.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “enhancement” and “help wanted” is open to whoever wants to implement it.

5.1.4 Write Documentation

tsclust could always use more documentation, whether as part of the official tsclust docs, in docstrings, or even on the web in blog posts, articles, and such.

5.1.5 Submit Feedback

The best way to send feedback is to file an issue at <https://github.com/imartinezl/tsclust/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

5.2 Get Started!

Ready to contribute? Here's how to set up *tsclust* for local development.

1. Fork the *tsclust* repo on GitHub.

2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/tsclust.git
```

3. Install your local copy into a virtualenv. Assuming you have *virtualenvwrapper* installed, this is how you set up your fork for local development:

```
$ mkvirtualenv tsclust
$ cd tsclust/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass *flake8* and the tests, including testing other Python versions with *tox*:

```
$ flake8 tsclust tests
$ python setup.py test or pytest
$ tox
```

To get *flake8* and *tox*, just *pip* install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

5.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 3.5, 3.6, 3.7 and 3.8, and for PyPy. Check https://travis-ci.com/imartinez/tsclust/pull_requests and make sure that the tests pass for all supported Python versions.

5.4 Tips

To run a subset of tests:

```
$ pytest tests.test_tsclust
```

5.5 Deploying

A reminder for the maintainers on how to deploy. Make sure all your changes are committed (including an entry in HISTORY.rst). Then run:

```
$ bump2version patch # possible: major / minor / patch
$ git push
$ git push --tags
```

Travis will then deploy to PyPI if tests pass.

CREDITS

6.1 Development Lead

- Iñigo Martinez <inigomlap@gmail.com>

6.2 Contributors

None yet. Why not be the first?

HISTORY

7.1 0.1.0 (2020-11-30)

- First release on PyPI.

INSTALLATION

8.1 Stable release

To install tsclust, run this command in your terminal:

```
$ pip install tsclust
```

This is the preferred method to install tsclust, as it will always install the most recent stable release.

If you don't have `pip` installed, this [Python installation guide](#) can guide you through the process.

8.2 From sources

The sources for tsclust can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/imartinezl/tsclust
```

Or download the [tarball](#):

```
$ curl -OJL https://github.com/imartinezl/tsclust/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```


USAGE

To use tsclust in a project:

```
import tsclust
```


INDICES AND TABLES

- genindex
- modindex
- search